Brain Research, 535 (1990) 358–359
Elsevier

Author Index

Albrecht, U., Seulberger, H., Schwarz, H. and Risau, W., Correlation of blood–brain barrier function and HT7 protein distribution in chick brain circumventricular organs, 49
Allt, G., see Bush, S.M., 181
Århem, P., see Jalonen, T., 33
Arjune, D., Standifer, K.M., Pasternak, G.W. and Bodnar, R.J., Reduction by central β-funaltrexamine of food intake in rats under freely-feeding, deprivation and glucoprivic conditions, 101

Bengzon, J., Kalén, P. and Lindvall, O., Evidence for long-term reduction of noradrenaline release after kindling in the rat hippocampus, 353
Bhat, S. and Silberberg, D.H., Expression of neural cell adhesion molecule in dysmyelinating mutants, 39
Bidder, M., see Weizman, A., 96
Bluthé, R.-M. and Dantzer, R., Social recognition does not involve vasopressinergic neurotransmission in female rats, 301
Bodnar, R.J., see Arjune, D., 101
Bos, N.P.A., see Gorter, J.A., 62
Bradshaw, R.A., see Kornblum, H.I., 255
Brodin, E., Linderoth, B., Goiny, M., Yamamoto, Y., Gazelius, B., Millhorn, D.E., Hökfelt, T. and Ungerstedt, U., In vivo release of serotonin in cat dorsal vagal complex and cervical ventral horn by electrical stimulation of the medullary raphe nuclei, 227
Burchuladze, R., Potter, J. and Rose, S.P.R., Memory formation in the chick depends on membrane-bound protein kinase C, 131
Burdohan, J.A. and Comer, C.M., An antennal-derived mechanosensory pathway in the cockroach: descending interneurons as a substrate for evasive behavior, 347
Buselmaier, W., see Crusio, W.E., 343
Bush, S.M. and Allt, G., Blood–nerve barrier: distribution of anionic sites in the endothelial plasma membrane and basal lamina, 181
Bär, I.M., see Crusio, W.E., 343

Castillo, P., see Pedroarena, C., 339
Cavanaugh, K.P., see Kornblum, H.I., 255
del Cerro, C., see del Cerro, M., 25
del Cerro, M., Yeh, H.H., Marrero-Rodriguez, A., Lazar, E. and del Cerro, C., Intraocular transplantation of cell layers derived from neonatal rat retina, 25
Chase, M.H., see López-Rodríguez, F., 331
Chase, M.H., see Pedroarena, C., 339
Coderre, T.J., Vaccarino, A.L. and Melzack, R., Central nervous system plasticity in the tonic pain response to subcutaneous formalin injection, 155
Comer, C.M., see Burdohan, J.A., 347
Crusio, W.E., Bär, I.M., Schwegler, H. and Buselmaier, W., A multivariate morphometric analysis of hippocampal anatomical variation in C57BL/6 ↔ BALB/c chimeric mice, 343

Dantzer, R., see Bluthé, R.-M., 301
Decety, J., Sjöholm, H., Ryding, E., Stenberg, G. and Ingvar, D.H., The cerebellum participates in mental activity: tomographic measurements of regional cerebral blood flow, 313
Deyo, R.A., see Thompson, L.T., 119
Disterhoft, J.F., see Thompson, L.T., 119
Dittes, P.R., see Shouse, M.N., 163
Drugan, R.C., Holmes, P.V. and Stringer, A.P., Pentobarbital blocks the stress-induced decrease in [^{3}H]Ro 5-4864 binding in rat kidney, 151
Dun, N.J., see Jiang, Z.G., 110
Dvorak, D.R., see Golcich, M.A., 288

Egger, M.D., see Swain, G.P., 147
Elliott, E.J. and Simon, S.A., The anion in salt taste: a possible role for paracellular pathways, 9

Famiglietti, E.V., A distinct type of displaced ganglion cell in a mammalian retina, 169
Famiglietti, E.V., A new type of wide-field horizontal cell, presumably linked to blue cones, in rabbit retina, 174
Fares, F., see Weizman, A., 96
Feifel, D. and Vaccaroni, J., Central somatostatin: a re-examination of its effects on feeding, 189
Feldman, S., see Saphier, D., 159
Florentino, A., Varga, K. and Kunos, G., Mechanism of the cardiovascular effects of $GABA_B$ receptor activation in the nucleus tractus solitarii of the rat, 264
Fraizer, S.F., see Zill, S.N., 1

Gavish, M., see Weizman, A., 96
Gazelius, B., see Brodin, E., 227
Gebhart, G.F., see Zhuo, M., 67
Glick, S.D., see Maisonneuve, I.M., 221
Goiny, M., see Brodin, E., 227
Golcich, M.A., Morgan, I.G. and Dvorak, D.R., Selective abolition of OFF responses in kainic acid-lesioned chicken retina, 288
Gorter, J.A., Kamphuis, W., Huisman, E., Bos, N.P.A. and Mirmiran, M., Neonatal clonidine treatment results in long-lasting changes in noradrenaline sensitivity and kindling epileptogenesis, 62
Grimes, P.A., McGlinn, A.M. and Stone, R.A., An immunohistochemically distinct population of cat ciliary ganglion cells, 323
Gross, R.A., Uhler, M.D. and Macdonald, R.L., The reduction of neuronal calcium currents by ATP-γ-S is mediated by a G protein and occurs independently of cyclic AMP-dependent protein kinase, 214

Hablitz, J., see Mistry, D.K., 318
Hazrati, L.-N., see Paré, D., 139
Hennequin, S., see Morin, D., 281
Hilaire, G., see Morin, D., 281
Ho, L.T., see Zochodne, D.W., 43
Holmes, P.V., see Drugan, R.C., 151
Holopainen, I., see Jalonen, T., 33
Houser, C.R., Granule cell dispersion in the dentate gyrus of humans with temporal lobe epilepsy, 195
Huisman, E., see Gorter, J.A., 62
Hökfelt, T., see Brodin, E., 227

Ingvar, D.H., see Decety, J., 313

Jalonen, T., Johansson, S., Holopainen, I., Oja, S.S. and Århem, P., Single-channel and whole-cell currents in rat cerebellar granule cells, 33
Jankowska, E. and Noga, B.R., Contralaterally projecting lamina VIII interneurones in middle lumbar segments in the cat, 327
Jiang, Z.G., Shen, E. and Dun, N.J., Excitatory and inhibitory transmission from dorsal root afferents to neonate rat motoneurons in vitro, 110
Johansson, S., see Jalonen, T., 33

Kalén, P., see Bengzon, J., 353
Kamphuis, W., see Gorter, J.A., 62
Kang, Y. and Kitai, S.T., Electrophysiological properties of pedunculopontine neurons and their postsynaptic responses following stimulation of substantia nigra reticulata, 79
Keller, R.W., see Maisonneuve, I.M., 221
Kitada, Y., Taste responses to electrolytes in the frog glossopharyngeal nerve: initial process of taste reception, 305
Kitai, S.T., see Kang, Y., 79
Kornblum, H.I., Raymon, H.K., Morrison, R.S., Cavanaugh, K.P., Bradshaw, R.A. and Leslie, F.M., Epidermal growth factor and basic fibroblast growth factor: effects on an overlapping population of neocortical neurons in vitro, 255
Kunos, G., see Florentino, A., 264

Langer, J.V., see Shouse, M.N., 163
Lazar, E., see del Cerro, M., 25
Leslie, F.M., see Kornblum, H.I., 255
Linderoth, B., see Brodin, E., 227
Lindvall, O., see Bengzon, J., 353
Liu, S., Wilcox, D.A., Sieber-Blum, M. and Wong-Riley, M., Developing neural crest cells in culture: correlation of cytochrome oxidase activity with SSEA-1 and dopamine-β-hydroxylase immunoreactivity, 271

Brain Research, 535 (1990) 358–359
Elsevier

Author Index

Albrecht, U., Seulberger, H., Schwarz, H. and Risau, W., Correlation of blood–brain barrier function and HT7 protein distribution in chick brain circumventricular organs, 49
Allt, G., see Bush, S.M., 181
Århem, P., see Jalonen, T., 33
Arjune, D., Standifer, K.M., Pasternak, G.W. and Bodnar, R.J., Reduction by central β-funaltrexamine of food intake in rats under freely-feeding, deprivation and glucoprivic conditions, 101

Bengzon, J., Kalén, P. and Lindvall, O., Evidence for long-term reduction of noradrenaline release after kindling in the rat hippocampus, 353
Bhat, S. and Silberberg, D.H., Expression of neural cell adhesion molecule in dysmyelinating mutants, 39
Bidder, M., see Weizman, A., 96
Bluthé, R.-M. and Dantzer, R., Social recognition does not involve vasopressinergic neurotransmission in female rats, 301
Bodnar, R.J., see Arjune, D., 101
Bos, N.P.A., see Gorter, J.A., 62
Bradshaw, R.A., see Kornblum, H.I., 255
Brodin, E., Linderoth, B., Goiny, M., Yamamoto, Y., Gazelius, B., Millhorn, D.E., Hökfelt, T. and Ungerstedt, U., In vivo release of serotonin in cat dorsal vagal complex and cervical ventral horn by electrical stimulation of the medullary raphe nuclei, 227
Burchuladze, R., Potter, J. and Rose, S.P.R., Memory formation in the chick depends on membrane-bound protein kinase C, 131
Burdohan, J.A. and Comer, C.M., An antennal-derived mechanosensory pathway in the cockroach: descending interneurons as a substrate for evasive behavior, 347
Buselmaier, W., see Crusio, W.E., 343
Bush, S.M. and Allt, G., Blood–nerve barrier: distribution of anionic sites in the endothelial plasma membrane and basal lamina, 181
Bär, I.M., see Crusio, W.E., 343

Castillo, P., see Pedroarena, C., 339
Cavanaugh, K.P., see Kornblum, H.I., 255
del Cerro, C., see del Cerro, M., 25
del Cerro, M., Yeh, H.H., Marrero-Rodriguez, A., Lazar, E. and del Cerro, C., Intraocular transplantation of cell layers derived from neonatal rat retina, 25
Chase, M.H., see López-Rodríguez, F., 331
Chase, M.H., see Pedroarena, C., 339
Coderre, T.J., Vaccarino, A.L. and Melzack, R., Central nervous system plasticity in the tonic pain response to subcutaneous formalin injection, 155
Comer, C.M., see Burdohan, J.A., 347
Crusio, W.E., Bär, I.M., Schwegler, H. and Buselmaier, W., A multivariate morphometric analysis of hippocampal anatomical variation in C57BL/6 ↔ BALB/c chimeric mice, 343

Dantzer, R., see Bluthé, R.-M., 301
Decety, J., Sjöholm, H., Ryding, E., Stenberg, G. and Ingvar, D.H., The cerebellum participates in mental activity: tomographic measurements of regional cerebral blood flow, 313
Deyo, R.A., see Thompson, L.T., 119
Disterhoft, J.F., see Thompson, L.T., 119
Dittes, P.R., see Shouse, M.N., 163
Drugan, R.C., Holmes, P.V. and Stringer, A.P., Pentobarbital blocks the stress-induced decrease in [^{3}H]Ro 5-4864 binding in rat kidney, 151
Dun, N.J., see Jiang, Z.G., 110
Dvorak, D.R., see Golcich, M.A., 288

Egger, M.D., see Swain, G.P., 147
Elliott, E.J. and Simon, S.A., The anion in salt taste: a possible role for paracellular pathways, 9

Famiglietti, E.V., A distinct type of displaced ganglion cell in a mammalian retina, 169
Famiglietti, E.V., A new type of wide-field horizontal cell, presumably linked to blue cones, in rabbit retina, 174
Fares, F., see Weizman, A., 96
Feifel, D. and Vaccaroni, J., Central somatostatin: a re-examination of its effects on feeding, 189
Feldman, S., see Saphier, D., 159
Florentino, A., Varga, K. and Kunos, G., Mechanism of the cardiovascular effects of $GABA_B$ receptor activation in the nucleus tractus solitarii of the rat, 264
Fraizer, S.F., see Zill, S.N., 1

Gavish, M., see Weizman, A., 96
Gazelius, B., see Brodin, E., 227
Gebhart, G.F., see Zhuo, M., 67
Glick, S.D., see Maisonneuve, I.M., 221
Goiny, M., see Brodin, E., 227
Golcich, M.A., Morgan, I.G. and Dvorak, D.R., Selective abolition of OFF responses in kainic acid-lesioned chicken retina, 288
Gorter, J.A., Kamphuis, W., Huisman, E., Bos, N.P.A. and Mirmiran, M., Neonatal clonidine treatment results in long-lasting changes in noradrenaline sensitivity and kindling epileptogenesis, 62
Grimes, P.A., McGlinn, A.M. and Stone, R.A., An immunohistochemically distinct population of cat ciliary ganglion cells, 323
Gross, R.A., Uhler, M.D. and Macdonald, R.L., The reduction of neuronal calcium currents by ATP-γ-S is mediated by a G protein and occurs independently of cyclic AMP-dependent protein kinase, 214

Hablitz, J., see Mistry, D.K., 318
Hazrati, L.-N., see Paré, D., 139
Hennequin, S., see Morin, D., 281
Hilaire, G., see Morin, D., 281
Ho, L.T., see Zochodne, D.W., 43
Holmes, P.V., see Drugan, R.C., 151
Holopainen, I., see Jalonen, T., 33
Houser, C.R., Granule cell dispersion in the dentate gyrus of humans with temporal lobe epilepsy, 195
Huisman, E., see Gorter, J.A., 62
Hökfelt, T., see Brodin, E., 227

Ingvar, D.H., see Decety, J., 313

Jalonen, T., Johansson, S., Holopainen, I., Oja, S.S. and Århem, P., Single-channel and whole-cell currents in rat cerebellar granule cells, 33
Jankowska, E. and Noga, B.R., Contralaterally projecting lamina VIII interneurones in middle lumbar segments in the cat, 327
Jiang, Z.G., Shen, E. and Dun, N.J., Excitatory and inhibitory transmission from dorsal root afferents to neonate rat motoneurons in vitro, 110
Johansson, S., see Jalonen, T., 33

Kalén, P., see Bengzon, J., 353
Kamphuis, W., see Gorter, J.A., 62
Kang, Y. and Kitai, S.T., Electrophysiological properties of pedunculopontine neurons and their postsynaptic responses following stimulation of substantia nigra reticulata, 79
Keller, R.W., see Maisonneuve, I.M., 221
Kitada, Y., Taste responses to electrolytes in the frog glossopharyngeal nerve: initial process of taste reception, 305
Kitai, S.T., see Kang, Y., 79
Kornblum, H.I., Raymon, H.K., Morrison, R.S., Cavanaugh, K.P., Bradshaw, R.A. and Leslie, F.M., Epidermal growth factor and basic fibroblast growth factor: effects on an overlapping population of neocortical neurons in vitro, 255
Kunos, G., see Florentino, A., 264

Langer, J.V., see Shouse, M.N., 163
Lazar, E., see del Cerro, M., 25
Leslie, F.M., see Kornblum, H.I., 255
Linderoth, B., see Brodin, E., 227
Lindvall, O., see Bengzon, J., 353
Liu, S., Wilcox, D.A., Sieber-Blum, M. and Wong-Riley, M., Developing neural crest cells in culture: correlation of cytochrome oxidase activity with SSEA-1 and dopamine-β-hydroxylase immunoreactivity, 271

López-Rodríguez, F., Morales, F.R., Soja, P.J. and Chase, M.H., Suppression of the PGO-related lumbar motoneuron IPSP by strychnine, 331

Macdonald, R.L, see Gross, R.A., 214
Maisonneuve, I.M., Keller, R.W. and Glick, S.D., Similar effects of D-amphetamine and cocaine on extracellular dopamine levels in medial prefrontal cortex of rats, 221
Marrero-Rodríguez, A., see del Cerro, M., 25
McGlinn, A.M., see Grimes, P.A., 323
Melzack, R., see Coderre, T.J., 155
Millhorn, D.E., see Brodin, E., 227
Mirmiran, M., see Gorter, J.A., 62
Mistry, D.K. and Hablitz, J., Nystatin-perforated patch recordings disclose NMDA-induced outward currents in cultured neocortical neurons, 318
Monteau, R., see Morin, D., 281
Morales, F.R., see López-Rodríguez, F., 331
Morales, F.R., see Pedroarena, C., 339
Morgan, I.G., see Golcich, M.A., 288
Morin, D., Hennequin, S., Monteau, R. and Hilaire, G., Serotonergic influences on central respiratory activity: an in vitro study in the newborn rat, 281
Morrison, R.S., see Kornblum, H.I., 255
Morshead, C.M. and van der Kooy, D., Separate blood and brain origins of proliferating cells during gliosis in adult brains, 237
Muramatsu, S., see Nakamura, S., 335

Nakamura, S., Muramatsu, S. and Yoshida, M., Role of the basal ganglia in manifestation of rhythmical jaw movement in rats, 335
Noga, B.R., see Jankowska, E., 327

Oja, S.S., see Jalonen, T., 33

Parent, A., see Paré, D., 139
Paré, D., Hazrati, L.-N., Parent, A. and Steriade, M., Substantia nigra pars reticulata projects to the reticular thalamic nucleus of the cat: a morphological and electrophysiological study, 139
Pasternak, G.W., see Arjune, D., 101
Pedroarena, C., Castillo, P., Chase, M.H. and Morales, F.R., Non-reciprocal postsynaptic inhibition of digastric motoneurons, 339
Potter, J., see Burchuladze, R., 131
Prado, W.A., see Terenzi, M.G., 18

Raymon, H.K., see Kornblum, H.I., 255
Risau, W., see Albrecht, U., 49
Rose, S.P.R., see Burchuladze, R., 131
Ryding, E., see Decety, J., 313

Saito, T., Glucose-supported oxidative metabolism and evoked potentials are sensitive to fluoroacetate, an inhibitor of glial tricarboxylic acid cycle in the olfactory cortex slice, 205
Saphier, D. and Feldman, S., Iontophoresis of cortisol inhibits responses of identified paraventricular nucleus neurones to sciatic nerve stimulation, 159
Schwarz, H., see Albrecht, U., 49
Schwegler, H., see Crusio, W.E., 343
Seulberger, H., see Albrecht, U., 49
Shen, E., see Jiang, Z.G., 110
Shouse, M.N., Langer, J.V. and Dittes, P.R., Spontaneous sleep epilepsy in amygdala-kindled kittens: a preliminary report, 163
Sieber-Blum, M., see Liu, S., 271
Silberberg, D.H., see Bhat, S., 39
Simon, S.A., see Elliott, E.J., 9
Sjöholm, H., see Decety, J., 313
Soja, P.J., see López-Rodríguez, F., 331
Standifer, K.M., see Arjune, D., 101
Stenberg, G., see Decety, J., 313
Steriade, M., see Paré, D., 139
Stone, R.A., see Grimes, P.A., 323
Stringer, A.P., see Drugan, R.C., 151
Swain, G.P., Wyman, R.J. and Egger, M.D., A deficiency chromosome in *Drosophila* alters neuritic projections in an identified motoneuron, 147

Terenzi, M.G. and Prado, W.A., Antinociception elicited by electrical or chemical stimulation of the rat habenular complex and its sensitivity to systemic antagonists, 18
Thompson, L.T., Deyo, R.A. and Disterhoft, J.F., Nimodipine enhances spontaneous activity of hippocampal pyramidal neurons in aging rabbits at a dose that facilitates associative learning, 119

Uhler, M.D., see Gross, R.A., 214
Ungerstedt, U., see Brodin, E., 227

Vaccarino, A.L., see Coderre, T.J., 155
Vaccaroni, J., see Feifel, D., 189
Varga, K., see Florentino, A., 264
Viancour, T.A., Organelle flux in intact and transected crayfish giant axons, 245

Weizman, A., Bidder, M., Fares, F. and Gavish, M., Food deprivation modulates γ-aminobutyric acid receptors and peripheral benzodiazepine binding sites in rats, 96
Wilcox, D.A., see Liu, S., 271
Wong-Riley, M., see Liu, S., 271
Wyman, R.J., see Swain, G.P., 147

Yamamoto, Y., see Brodin, E., 227
Yeh, H.H., see del Cerro, M., 25
Yoshida, M., see Nakamura, S., 335

Zhuo, M. and Gebhart, G.F., Spinal cholinergic and monoaminergic receptors mediate descending inhibition from the nuclei reticularis gigantocellularis and gigantocellularis pars alpha in the rat, 67
Zill, S.N. and Fraizer, S.F., Responses of locusts in a paradigm which tests postural load compensatory reactions, 1
Zochodne, D.W. and Ho, L.T., Endoneural microenvironment and acute nerve crush injury in the rat sciatic nerve, 43